


# ACCESS

 S A F E T Y

Tablet 20SNT®  
SINTERED TECHNICAL SOLUTION

---





Model Tablet20  
Size: 20x20 / 20x30  
Thickne: 20mm

Grupo: GRUPO Bla UNE-EN 14411 Anexo G / SASO ISO 13006:2018 Anexo G

TECHNICAL CHARACTERISTICS	OF THE STANDARD	RESULT
Dimensions and surface appearance	Complies with the standard	UNE EN ISO 10545-2
Water absorption	<=0.5 %	UNE EN ISO 10545-3
Flexural Strenght-Breaking Strengt	> 41 N/mm <sup>2</sup> - >9900 N	UNE EN ISO 10545-4
Surface abrasion resistance (PEI)	Class 4	UNE EN ISO 10545-7
Linear thermal expansion	<7,0 x 10 <sup>-6</sup> °C <sup>-1</sup>	UNE EN ISO 10545-8
Thermal shock resistance	Resist	UNE EN ISO 10545-9
Cracking resistance	Resist	UNE EN ISO 10545-11
Frost resistance	Class 3 R12	UNE EN 12633 DIN51130
Skid resistance	C 0,75	DIN51097 ANSI A326.3(DCOF)

CHEMICAL RESISTANCE	RESULT	RULE
Household cleaning product	CLASS A	UNE EN ISO 10545-13
Pool salts	CLASS A	
Acids and Bases (low concentration)	CLASS A	
Stain resistance	CLASS 5	UNE EN ISO 10545-14

## CE MARKING

PLAÇA FRANCESC MACIÀ N.5. 08021 BARCELONA  
TEL. + 93. 146 32 05  
[WWW.ACCESS-SAFETY.ES](http://WWW.ACCESS-SAFETY.ES)  
ISSUE 001.21  
27/01/2024